

Intended use:

Manufacturer:

Notified body:

2

3

4

5

6

Declaration of performance

No. 574 - 0315

1 Unique identification code of the product-type:

the construction product:

Number allowing identification of

System for the assessment of the

constancy of performance:

CG0571408K03

Batch indicated on the packaging or on the quality label.

Doors and windows

OTLAV S.p.A. Via Angelo Padovan, 2 31025 Santa Lucia di Piave (TV) - Italy

System 3

T2i n° 1600 has performed the performances test according UNI EN 1935:2002-05 rule in system for the assessment number 3 and has prepared the classification reports and issued the test certificate.



7 Declared performance:

	Essential characteristics	Performance	Harmonised technical specification
7.1	Use category	1	UNI EN 1935:2002
7.2	Test cycles in case of conti- nuous operation with rotation lubricated*	25.000	UNI EN 1935:2002
7.3	Mass of the door with standard dimensions	60 kg.	UNI EN 1935:2002
7.4	Fire resistance	0	EN 1634-1
7.5	Safety	1	UNI EN 1935:2002
7.6	Corrosion resistance	2	EN 1670:2007
7.7	Anti-burglary resistance	0	UNI EN 1935:2002
7.8	Hinge class	9	UNI EN 1935:2002
7.9	Dangerous substances	Product annex II 2011/65/EU RoHS compliant. Company not subject to REACH (CE) 1907/2006 regulations part. 7 and 33.	

8 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

*Test performed on standard door installed with two hinges.

Signed for and on behalf of the manufacturer by:

Livio Battistuzzi Sales Manager