

Intended use:

Manufacturer:

Notified body:

2

3

4

5

6

Declaration of performance

No. 787 - 0617

1 Unique identification code of the product-type:

the construction product:

Number allowing identification of

System for the assessment of the

constancy of performance:

CG4951608H05

Batch indicated on the packaging or on the quality label.

Doors and windows

OTLAV S.p.A. Via Angelo Padovan, 2 31025 Santa Lucia di Piave (TV) - Italy

System 1

IFT n° 0757 has performed the performances test according UNI EN 1935:2002-05 rule in system for the assessment number 1 and has prepared the classification reports and issued the test certificate.



7 Declared performance:

	Essential characteristics	Performance	Harmonised technical specification
7.1	Use category	4	UNI EN 1935:2002
7.2	Test cycles in case of conti- nuous operation with rotation lubricated*	200.000	UNI EN 1935:2002
7.3	Mass of the door with standard dimensions	120 Kg.	UNI EN 1935:2002
7.4	Fire resistance	1	EN 1634-1
7.5	Safety	1	UNI EN 1935:2002
7.6	Corrosion resistance	3	EN 1670:2007
7.7	Anti-burglary resistance	0	UNI EN 1935:2002
7.8	Hinge class	13	UNI EN 1935:2002
7.9	Dangerous substances	Product annex II 2011/65/EU RoHS compliant. Company not subject to REACH (CE) 1907/2006 regulations part. 7 and 33.	Directive 2011/65/UE RoHS Reg. REACH (CE) 1907/2006

8 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

*Test performed on standard door installed with two hinges.

Signed for and on behalf of the manufacturer by:

Livio Battistuzzi Sales Manager