

Declaration of performance

No. 794 - 0917

- 1 Unique identification code of the product-type:
- 2 Number allowing identification of the construction product:
- 3 Intended use:
- 4 Manufacturer:
- 5 System for the assessment of the constancy of performance:
- 6 Notified body:

IN303120V702

Batch indicated on the packaging or on the quality label.

Doors and windows

OTLAV S.p.A. Via Angelo Padovan, 2 31025 Santa Lucia di Piave (TV) - Italy

System 1

IFT n° 0757 has performed the performances test according UNI EN 1935:2002-05 european assessment document in system for the assessment number 1 and has prepared the classification reports and issued the certificate 0757-CPR-229EAD-8012478-1-3.



DMT

DMT n° 2509 has performed the performances test according EN 1634-01 rule in system for the assessment number 3 and has prepared the classification reports and issued the test certificate.

7 Declared performance:

	Essential characteristics	Performance	EAD
7.1	Use category	3	EAD-020001-01-0405
7.2	Test cycles in case of conti- nuous operation with rotation lubricated*	200.000	EAD-020001-01-0405
7.3	Mass of the door with standard dimensions	80 Kg.	EAD-020001-01-0405
7.4	Fire resistance	1	EN 1634-1
7.5	Safety	1	EAD-020001-01-0405
7.6	Corrosion resistance	4	EN 1670:2007
7.7	Anti-burglary resistance	0	EAD-020001-01-0405
7.8	Hinge class	11	EAD-020001-01-0405
7.9	Dangerous substances	Product annex II 2011/65/EU RoHS compliant. Company not subject to REACH (CE) 1907/2006 regulations part. 7 and 33.	

8 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

*Test performed on standard door installed with two load-bearing hinges.

Signed for and on behalf of the manufacturer by:

Livio Battistuzzi Sales Manager

anta Lucia di Piave, 22/11/24